

## 平成26年度優秀応募論文賞・応募論文一覧 (主著者アルファベット順)

優秀応募論文賞選考委員：伊藤 靖（委員長），廣畠 優，石井 晓，泉 孝嗣，川西正彦，杉本憲志，  
(学術委員会) 田中美千裕，山上 宏，吉村紳一

- 1 Dembo T, Deguchi I, Fukuoka T, Nagoya H, Maruyama H, Kato Y, Horiuchi Y, Ohe Y, Tanahashi N. Additional Endovascular Therapy in Patients with Acute Ischemic Stroke Who Are Nonresponsive to Intravenous Tissue Plasminogen Activator:Usefulness of Magnetic Resonance Angiography-Diffusion Mismatch. *Journal of Stroke & Cerebrovascular Diseases*, Vol.22, No. 7 (October), 2013:pp 1056-1063
- 2 Endo H, Matsumoto Y, Kondo R, Sato K, Fujimura M, Inoue T, Shimizu H, Takahashi A, Tominaga T. Medullary infarction as a poor prognostic factor after internal coil trapping of a ruptured vertebral artery dissection. *J Neurosurg*, 118:131-139, 2013
- 3 Enomoto Y, Yoshimura S, Yamada K, Kawasaki M, Nishigaki K, Minatoguchi S, Iwama T. Silent Coronary Artery Disease in Japanese Patients Undergoing Carotid Artery Stenting. *Journal of Stroke and Cerebrovascular Diseases*, Volume 22, Issue7, Pages 1163-1168, October 2013
- 4 Fujimoto M, Shobayashi Y, Takemoto K, Tateshima S, Viñuela F. Structural analysis for Wingspan stent in a perforator model. *Interv Neuroradiol*, 2013 Sep;19(3):271-5
- 5 Fujimoto M, Shobayashi Y, Tateshima S. Vinters HV, Viñuela F. Biomechanical responses after Wingspan Stent deployment in swine ascending pharyngeal artery. *Neurol Res*, 2013 Jan;35(1):90-4
- 6 Fujimoto M, Shobayashi Y, Tateshima S. Vinters HV, Viñuela F. Simulated biomechanical responses at a curved arterial segment after Wingspan Stent deployment in swine. *Neurol Res*, 2013 Jul;35(6):631- 5
- 7 Go IKEDA, Makoto SONOBE, Noriyuki KATO, Tomosato YAMAZAKI, Hiromichi KASUYA, Yasunobu NAKAI, Akira MATSUMURA. Correlation Between Rupture or Retreatment and the Volume Embolization Ratio after Coil Embolization. *Surgery for Cerebral Stroke*, Vol. 41 (2013) No. 6 p. 440-446
- 8 Harada K, Fukuyama K, Shirouzu T, Ichinose M, Fujimura H, Kakumoto K, Yamanaga Y. Prevalence of unruptured intracranial aneurysms in healthy asymptomatic Japanese adults: differences in gender and age. *Acta Neurochir (Wien)*, 2013 Nov;155(11):2037-43
- 9 Harada K, Morioka J. Initial experience with an extremely soft bare platinum coil, ED coil-10 Extra Soft, for endovascular treatment of cerebral aneurysms. *J Neurointerv Surg*, 2013 Nov; 5 (6):577-81
- 10 Ishii D, Satow T, Murao K, Nishimura K, Iihara K. Efficacy of Cilostazol in Prevention of Bradycardia during Carotid Artery Stenting. *Journal of Stroke and Cerebrovascular Diseases*, Vol.23, No. 4 (April), 2014:pp 662-666
- 11 Iwata T, Mori T, Miyazaki Y, Nakazaki M, Takahashi Y, Mizokami K. Initial experience of a novel sheath guide for transbrachial carotid artery stenting: technical note. *J Neurointerv Surg*, 2013 May; 5 Suppl 1 : i77-80
- 12 Iwata T, Mori T, Tajiri H, Miyazaki Y, Nakazaki M, Mizokami K. Initial experience of a novel sheath guide for transbrachial coil embolization of cerebral aneurysms in the anterior cerebral circulation. *Neurosurgery*, 2013 Mar;72 (1 Suppl Operative) :15- 9 ; discussion 19-20
- 13 Iwata T, Mori T, Tajiri H, Miyazaki Y, Nakazaki M. Safety and effectiveness of emergency carotid artery stenting for a high-grade carotid stenosis with intraluminal thrombus under proximal flow control in hyperacute and acute stroke. *J Neurointerv Surg*, 2013 Jan 1 ; 5 (1):40-4

- 14 Kono K, Okada H, Terada T. A Novel Neck-Sealing Balloon Technique for Distal Access Through a Giant Aneurysm. *Neurosurgery*, 2013 Dec;73 (2 Suppl Operative):E302-5
- 15 Kono K, Shintani A, Yoshimura R, Okada H, Tanaka Y, Fujimoto T, Tomura N, Terada T. Triple antiplatelet therapy with addition of cilostazol to aspirin and clopidogrel for Y-stent-assisted coil embolization of cerebral aneurysms. *Acta Neurochir(2013)*, 155: 1549-1557, August 01, 2013
- 16 Kono K, Terada T. Hemodynamics of 8 Different Configurations of Stenting for Bifurcation Aneurysms. *AJNR Am J Neuroradiol*, 2013 34: 1980-1986
- 17 Matsukawa H, Uemura A, Fujii M, Kamo M, Takahashi O, Sumiyoshi S. Morphological and clinical risk factors for the rupture of anterior communicating artery aneurysms. *Journal of Neurosurgery*, May 2013, Vol. 118, No. 5 :Pages 978-983
- 18 Matsumoto H, Yako R, Masuo O, Hirayama K, Uematsu Y, Nakao N. A Case of In-Stent Neoatherosclerosis 10 Years after Carotid Artery Stent Implantation: Observation with Optical Coherence Tomography and Plaque Histological Findings. *Neurologia medico-chirurgica*, Vol.54(2014) No. 2 p.139-144
- 19 Motoaki Fujimoto, Noriko Salamon, Fernando Mayor, Ichiro Yuki, Koichiro Takemoto, Harry V. Vinters and Fernando Viñuela. Characterization of arterial thrombus composition by magnetic resonance imaging in a swine stroke model. *Stroke*, 2013 May;44(5):1463-5
- 20 Nakagawa I, Taoka T, Wada T, Nakagawa H, Sakamoto M, Kichikawa K, Hironaka Y, Motoyama Y, Park YS, Nakase H. The use of susceptibility-weighted imaging as an indicator of retrograde leptomeningeal venous drainage and venous congestion with dural arteriovenous fistula: diagnosis and follow-up after treatment. *Neurosurgery*, 2013 Jan;72(1):47-54; discussion 55. doi: 10.1227/NEU.0 b013e318276f 7 cc
- 21 Niibo T, Ohta H, Yonenaga K, Ikushima I, Miyata S, Takeshima H. Arterial Spin-Labeled Perfusion Imaging to Predict Mismatch in Acute Ischemic Stroke. *Stroke*, 2013 Sep;44(9):2601-3
- 22 Noriaki Matsubara, Shigeru Miyachi, Nobuhiro Tsukamoto, Takao Kojima, Takashi Izumi, Kenichi Haraguchi, Takumi Asai, Takashi Yamanouchi, Keisuke Ota, Toshihiko Wakabayashi. Endovascular intervention for acute cervical carotid artery occlusion. *Acta Neurochir (Wien)* 2013 Jun;155(6):1115-23
- 23 Sakamoto S, Kiura Y, Kajihara Y, Mukada K, Kurisu K. Endovascular stenting of symptomatic innominate artery stenosis under distal balloon protection of the internal carotid and vertebral artery for cerebral protection: a technical case report. *Acta Neurochirurgica*, February 2013, Volume 155, Issue 2, pp 277-280
- 24 Sakamoto S, Kiura Y, Kajihara Y, Shibukawa M, Okazaki T, Matsushige T, Shinagawa K, Mukada K, Kurisu K. Carotid artery stenting using the proximal or dual protection method for near occlusion of the cervical internal carotid artery. *Neurosurgical Review*, October 2013, Volume 36, Issue 4, pp 551-558
- 25 Sato K, Endo T, Niizuma K, Fujimura M, Inoue T, Shimizu H, Tominaga T. Concurrent dural and perimedullary arteriovenous fistulas at the craniocervical junction: case series with special reference to angioarchitecture. *J Neurosurg* 118:451-459, 2013
- 26 Satow T, Murao K, Matsushige T, Fukuda K, Miyamoto S, Iihara K. Superselective shunt occlusion for the treatment of cavernous sinus dural arteriovenous fistulae. *Neurosurgery*, 2013 Sep;73 (1 Suppl Operative):ons100-5

- 27 **Shigematsu T**, Fujinaka T, Yoshimine T, Imamura H, Ishii A, Sakai C, Sakai N for the JR-NET Investigators. Endovascular Therapy for Asymptomatic Unruptured Intracranial Aneurysms:JR-NET and JR-NET 2 Findings. *Stroke*, 2013;44:2735-2742
- 28 **Shimamura N**, Matsuda N, Satou J, Nakano T, Ohkuma H. Early Ambulation Produces Favorable Outcome and Nondemential State in Aneurysmal Subarachnoid Hemorrhage Patients Older than 70 Years of Age. *World Neurosurgery*, 2014 Feb;81(2):330-4
- 29 **Shinohara Y**, Sakamoto M, Takeuchi H, Uno T, Watanabe T, Kaminou T, Ogawa T. Subarachnoid hyperattenuation on flat panel detector-based conebeam CT immediately after uneventful coil embolization of unruptured intracranial aneurysms. *AJNR Am J Neuroradiol*, 2013 Mar;34(3):577-82
- 30 **Takao H**, Ishibashi T, Saguchi T, Arakawa H, Ebara M, Irie K, Murayama Y. Validation and Initial Application of a Semiautomatic Aneurysm Measurement Software: A Tool for Assessing Volumetric Packing Attenuation. *AJNR Am J Neuroradiol*, 2014 Apr;35(4):721-6
- 31 **Yamazaki T**, Sonobe M, Kato N, Kasuya H, Ikeda G, Nakamura K, Ito Y, Tsuruta W, Nakai Y, Matsumura A. Endovascular Coiling as the First Treatment Strategy for Ruptured Pericallosal Artery Aneurysms: Results, Complications, and Follow Up. *Neurol Med Chir (Tokyo)*, 2013;53(6):409-17

(審査結果を学会会場に掲示し、議事総会にて表彰いたします)